



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #99 Magics Black Smoker, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #98 Magics Bubble n Squeak Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #97 Magics Wiener,Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #96 Peach Buddocks, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #95 Surf n Turf, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #94 T.I.B.'s Flesh, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #93 T.I.B.'s Soylent Gr, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #92 VSB Steel Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #92 VSB Steel Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #91 Fundos Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #90 T.I.B. Drop Dead Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #90 T.I.B. Drop Dead Gr, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #9 Honey Gold, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #89 Ace U be Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #88 Uncut Magenta, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #87 Renkmans Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





H-A-N - Haus der Angewandten  
Naturwissenschaften - GmbH

# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #86 Holy White, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #85 Sepia Brown, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #84 Clay Brown, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #83 Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #82 Sangria Red, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	▪
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

**Barium is a component of the raw material CI 77120 (barium sulfate)**

**Enthält Barium als Bestandteil des Rohstoffes CI 77120 (Bariumsulfat)**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #81 Eggshell, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #80 Magenta in Law, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #80 Magenta in Law, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #8 VSB Human Blood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #79 Pallor Asian Skin, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #78 Little Pony Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #77 Death Cherries Red, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #76 Royal T.S. Peppermi, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #75 Royal T.S. Brass Knuckles, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #74 XXX-Black,Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten  
Naturwissenschaften - GmbH

# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #73 Royal T.S. Violent Violet, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #72 Violent Red, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	▪
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

**Barium is a component of the raw material CI 77120 (barium sulfate)**

**Enthält Barium als Bestandteil des Rohstoffes CI 77120 (Bariumsulfat)**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten  
Naturwissenschaften - GmbH

# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### **#71 Royal T.S. Bermuda, Bullets Tattoo Ink**

<b>Element or compound</b>	<b>Limit</b>	<b>Passed</b>
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #70 Uncut Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #7 Dark Cherry, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #69 Dark Knight Grey, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #68 Luminous Alien Blood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #67 Pastel Turquoise, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #66 Arctic Eyes Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #65 Mermans Skin, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #64 Opal Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #63 Sienna Brown, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #62 Uncut Red, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #61 Uncut Yellow, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #60 Magenta, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #6 Bubble Gum Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten  
Naturwissenschaften - GmbH

# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

**#56 XXX-Dark, #57 XXX-Medium, #58 XXX-Light, #59 XXX-Superlight.**

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #54 Olive, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### **#53 Rotten Corpse, Bullets Tattoo Ink**

<b>Element or compound</b>	<b>Limit</b>	<b>Passed</b>
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #52 Sulfur Yellow, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #51 Ivan Drago Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #50 Dark Seaweed Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #5 Barbies Blood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #49 Sacred Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #47 Steel Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





H-A-N - Haus der Angewandten  
Naturwissenschaften - GmbH

# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #45 Purple Haze, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### **#44 Tanned Asian Skin, Bullets Tattoo Ink**

<b>Element or compound</b>	<b>Limit</b>	<b>Passed</b>
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #42 Passed Tomato, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #41 Aura Orange, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #40 Dark Chocolate 2.0, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #4 Green Apple, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #39 Hazelnut, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #38 Woodruff, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #37 Rosewood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #36 Sandalwood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #35 Biscuit, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #34 Paw Paw, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #33 Blond 2.0, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #32 Honolulu Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #31 Black Tribe, Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #30 Rambos Make-up, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #3 Dirty Carrot, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #29 Rambos Snot, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #28 Mudhopper Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #27 Poison Ivy, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #26 Signal O., Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #25 Yellow Pudding, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten  
Naturwissenschaften - GmbH

# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #24 VSB The Wave, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #23 VSB Hawaii, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #22 Real Petrol, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #21 PigsNBlue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #20 Plastic Berry, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten  
Naturwissenschaften - GmbH

# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #19 Classic Dark Violet, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #18 Light Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #17 Medium Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #16 Royal Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #14 Lilac Dreams 2.0, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #13 Old Skull, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #12 Yellow Sunshine, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #111 Deep Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #11 Silky Leaf Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Contains nickel. Can cause allergic reactions.**

**Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #109 C.P.'s Miami Cannibal, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	■
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

**Barium is a component of the raw material CI 77120 (barium sulfate)**

**Enthält Barium als Bestandteil des Rohstoffes CI 77120 (Bariumsulfat)**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #108 C.P.'s Flesh Wound, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	■
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

**Barium is a component of the raw material CI 77120 (barium sulfate)**

**Enthält Barium als Bestandteil des Rohstoffes CI 77120 (Bariumsulfat)**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #107 C.P.'s Organic Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #106 C.P.'s Pork Pie,Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm





# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #105 C.P.'s Cinnamon Roll,Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten  
Naturwissenschaften - GmbH

# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #104 C.P.'s Sweet Caramel, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #103 C.P.'s Peanut Butter, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten  
Naturwissenschaften - GmbH

# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #102 C.P.'s Curry King, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #101 C.P.'s Honey Mustard, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #10 Jack O' Lantern, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm



# Certificate

## Zertifikat

Maximum allowed concentrations of impurities for tattoo inks  
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

### #1 All-White, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

**Warning: Can contain traces of nickel. Can cause allergic reactions.**

**Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.**

Source/Quelle: CTL 357227\_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

**Esslingen, 2013-05-31**

\* As low as technically achievable i.e. 0,5 ppm